AD 266 364

Reproduced by the

ARMED SERVICES TECHNICAL INFORMATION AGENCY
ARLINGTON HALL STATION
ARLINGTON 12, VIRGINIA



NOTICE: When government or other drawings, specifications or other data are used for any purpose other than in connection with a definitely related government procurement operation, the U. S. Government thereby incurs no responsibility, nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use or sell any patented invention that may in any way be related thereto.

CRDL Special Publication 1-27

COMPARISON OF DECHLORANE AND HEXACHLOROETHANE
IN SMOKESCREEN COMPOSITIONS

by

Woodrow W. Reaves Kenneth G. Carlon

62-1-3 XEROX

August 1961



Weapons Research Division
Directorate of Research
U. S. ARMY CHEMICAL RESEARCH AND DEVELOPMENT LABORATORIES
Army Chemical Center, Maryland

Juda"

Armed Services Technical Information Agency Availability Notice

Qualified requesters may obtain copies of this report from Armed Services Technical Information Agency, Arlington Hall Station, Arlington 12, Virginia, ATTN: TIPCR.

### CRDL Special Publication 1-27

## COMPARISON OF DECHLORANE AND HEXACHLOROETHANE IN SMOKESCREEN COMPOSITIONS

by

Woodrow W. Reaves Kenneth G. Carlon

Weapons Research Division
Directorate of Research
U. S. ARMY CHEMICAL RESEARCH AND DEVELOPMENT LABORATORIES
Army Chemical Center, Maryland

#### FOREWORD

This work was authorized under Task 4C30-07-007-03, Counter-measures Research (U), Subtask III, Smoke Research (U). The work was started in May 1956 and completed in September 1960. The experimental data are recorded in notebook 4938.

### Acknowledgments

The authors are indebted to Mr Edmund J. Owens and Mr Charles Punte of the Toxicology Division, Directorate of Medical Research, for the toxicity data presented in this report.

### Notice

Reproduction of this document in whole or part is prohibited except with the permission of the issuing office; however, ASTIA is authorized to reproduce the document for U. S. Governmental purposes.

### Disposition

When this document has served its purpose, <u>DESTROY</u> it. <u>DO NOT</u> return the document to U. S. Army Chemical Research and Development Laboratories.

### Chemical Research and Development Laboratories Special Publication 1-27

## COMPARISON OF DECHLORANE AND HEXACHLOROETHANE IN SMOKESCREEN COMPOSITIONS

Task No.: 4C30-07-007-03

Notebook No.: 4938

Date Started: May 1956

Date Completed: September 1960

APPROVED:

CARL M. HERGET, Ph.

Director of Research

### DIGEST

A comparison of two smokescreen compositions, Dechlorane and hexachloroethane, was made with respect to smoke volume, burning time, storage stability, and toxicity.

The smoke volume and burning time of the Dechlorane composition are comparable to HC compositions. Its storage stability is superior to standard HC compositions. No significant difference in relative toxicity between the smoke clouds from the two compositions was found; both smokes produce chronic pathological degeneration of tissues of the respiratory system.

## COMPARISON OF DECHLORANE AND HEXACHLOROETHANE IN SMOKESCREEN COMPOSITIONS

### I. INTRODUCTION.


The object of this study was to evaluate perchloropentacyclo (5.2 1.0 2.6, 0 3.9, 0 5.8) decane (Dechlorane) in comparison with hexachloroethane in smokescreen compositions.

### II. INVESTIGATIONAL PROCEDURES AND RESULTS.

Perchloropentacyclo (5.2 1.0<sup>2.6</sup>.0<sup>3.9</sup>.0<sup>5.8</sup>) decane was investigated under the continuing research program on smokescreen compositions. Commercially, the compound is known as Dechlorane and is manufactured by the Hooker Chemical Company, Niagara Falls, New York.

The following chemical and physical properties are known for this compound:

#### A. Structure:



- B. Melting point: 485°C
- C. Density: 2.020 gm/cc at 24.3°C
- D. Heat of combustion: 1,261 kcal/gm mole (calculated)
  1,173 kcal/gm mole (experimental)

The oral toxicity in mice (as reported by Hooker Chemical Company) is 6 gm/kg (LD50).

Differential thermal-analysis data indicate that vaporization and decomposition become appreciable at 230° and 300°C, respectively.

The Dechlorane was tested by blending the material with zinc oxide and aluminum according to the standard procedures for preparing HC smokescreen compositions. The compositions were consolidated at a 5,000-pound dead load into the M8 grenade body, topped with first fire (MS511), and ignited. A composition of the following parts by weight produced the most satisfactory screening smoke:

The burning time for this composition varied from 105 to 150 seconds, which is within the specified burning range for smokescreen grenades. The screening effect and smoke volume produced by the composition were similar, by visual observation, to those produced by the standard hexachloroethane composition (figures 1 and 2, appendix).

M8-type grenades containing this composition were superior in storage characteristics to standard M8-HC grenades after 90-day climatic storage in hermetically sealed containers at 160°F. All units functioned satisfactorily and exhibited little if any corrosion.

The toxicity of the combustion products of the Dechlorane composition was determined by a series of chamber tests conducted by the Toxicology Division, Directorate of Medical Research, using dogs, rabbits, and rats as test animals. The results of these tests are given in tables 1, 2, and 3, appendix. The combustion products were found to be toxic because of the zinc chloride, which is used in both this composition and in the HC composition. For this reason, the toxic effects are not significantly different from those produced by the combustion of HC smoke containing hexachloroethane.

An interesting development during these toxicity studies was the appearance of chronic pathological findings in the test animals. Microscopic examination of tissues from the respiratory system indicated progressive development of pulmonary inflammation found in the bronchial tree and the supporting connective tissue of the lung. This condition appeared in both HC and Dechlorane smoke exposures. An exhaustive study to determine the cause of these lesions is currently under way using monkeys as test animals. It is estimated that this study will be completed within the next 12 months.

### III. CONCLUSIONS.

The smoke volume and burning time of the Dechlorane composition are comparable to HC compositions. Its storage stability is superior to standard HC compositions. No significant difference in relative toxicity between the smoke clouds from the two compositions was found; both smokes produce chronic pathological degeneration of tissues of the respiratory system.

### APPENDIX

### FIGURES AND TABLES




FIGURE 1

SMOKE PRODUCED FROM GRENADE CONTAINING HC COMPOSITION

(Burning time, 2 min 40 sec; Windspeed, 4 to 8 mph;
Distance from item, 60 yards)




FIGURE 2

SMOKE PRODUCED FROM GRENADE CONTAINING DECHLORANE COMPOSITION

(Burning time, 2 min 20 sec; Windspeed, 4 to 8 mph;
Distance from item, 60 yards)

TABLE 1

COMPARATIVE RESPONSE OF DOGS, RABBITS, AND RATS EXPOSED

TO THERMALLY GENERATED HC OR DECHLORANE

C 1	Particle mmd	Ct		Exposure	Mortality fraction		
Smoke		Zn	C12	time	Dogs	Rabbits	Rats
	μ	mg mi	n/cu m	min			1
НС	2.0	36,420	45,000	30	3/4	3/4	2/10
нс	2.0	24,120	28,500	15	2/4	3/4	2/10
НС	2.0	4,750	8,200	5	1/4	2/4	1/10
Dechlorane	2.1	12,120	19,800	30	2/4	4/4	5/10
Dechlorane	2.1	900	10,500	15	0/4	2/4	5/10
Dechlorane	2.1	3,200	5,800	5	0/4	0/4	1/10

Note: One munition was used for each exposure.

	Particle-size			
Cascade-impactor stage	HC $C_{10}\widehat{C}l_{12}$ (mmd = 2.0 $\mu$ ) (mmd = 2.1 $\mu$ )		Micron size	
		%		
1	7.9	10.3	10.9	
2	9.8	17.2	4.5	
3	15.2	13.3	2, 3	
4	33.4	26.0	1.4	
5	25.1	13.1	0.74	
6	8.6	20.1	0.41	

TABLE 3

PATHOLOGIC EFFECTS

Animals	Exposure	Smoke		
	time	НС	Dechlorane	
	min			
Dogs	30	None evaluated.	Severe, chronic, interstitial, bronchial pneumonic caused by an inflammatory process.	
	15		Same as above; not as severe or exten- sive. Inflamma- tion of fibrotic plug or sears in the	
			lumen of the bronchial tree.	
Rats	30	Severe, chronic, interstitial, bronchial pneumonia caused by an inflammatory process.	Severe, chronic, interstitial, bronchial pneumoni caused by an inflammatory process.	
	15	Same as above; not as extensive.	Same as above.	
Rabbits	. 15	Abscess surrounded by fibrotic tissues; scattered areas of interstitial fibrosis.	Accumulation of pigment-bearing macrophages in the alveolar spaces.	

Note: In this study, main emphasis was placed on the respiratory tract. In the rat, the heart, spleen, liver, and kidney were also studied and found to be free of lesions.

Interstitial pneumonia refers to pulmonary inflammation in which the bronchial tree and the supporting connective tissues of the lung are chiefly affected.

	AD Accession No.	1. Smokescreens
1	Weapons Research Division, U. S. Army Chemical Research and Development Laboratories, Army Chemical Center, Maryland	2. HC Smokes 3. Pyrotechnics
1	COMPARISON OF DECHLORANE AND HEXACHLORO- ETHANE IN SMOKESCREEN COMPOSITIONS	4. Dechlorane
1	Woodrow W. Reaves and Kenneth G. Carlon  CRDLSP 1-27, August 1961  Task 4C30-07-007-03, UNCLASSIFIED REPORT	5. Toxicity, Dechlorane
	This report describes a comparison study between Dechlorane (perchloropentacyclo 5.2 1.02.6.03.9.05.8 decane) and hexachloroethane in screening-smoke compositions with respect to smoke volume, burning time, storage stability, and toxicity. Toxicity data are included.	UNCLASSIFIED
l	ADAccession No.	UNCLASSIFIED
	Weapons Research Division, U. S. Army Chemical Research and Development Laboratories, Army Chemical Center, Maryland	2. HC Smokes 3. Pyrotechnics
	COMPARISON OF DECHLORANE AND HEXACHLORO- ETHANE IN SMOKESCREEN COMPOSITIONS Woodrow W. Reaves and Kenneth G. Carlon	<ol> <li>Dechlorane</li> <li>Toxicity, Dechlorane</li> </ol>
	CRDLSP 1-27, August 1961 Task 4C30-07-007-03, UNCLASSIFIED REPORT	1
	This report describes a comparison study between Dechlorane (perchloropentacyclo 5.2 1.0 <sup>2.6</sup> .0 <sup>3.9</sup> .0 <sup>5.8</sup> decane) and hexachloroethane in screening-smoke compositions with respect to smoke volume, burning time, storage stability, and toxicity. Toxicity data are included.	UNCLASSIFIED
	AD Accession No.	UNCLASSIFIED  1. Smokescreens
	Weapons Research Division, U. S. Army Chemical Research and Development Laboratories, Army Chemical Center, Maryland	2. HC Smokes
	COMPARISON OF DECHLORANE AND HE XACHLORO- ETHANE IN SMOKESCREEN COMPOSITIONS	Pyrotechnics     Dechlorane
	Woodrow W. Reaves and Kenneth G. Carlon  CRDLSP 1-27, August 1961	5. Toxicity, Dechlorane
	Task 4C30-07-007-03, UNCLASSIFIED REPORT	
	Dechlorane (perchloropentacyclo 5.2 1.0 <sup>2.6</sup> .0 <sup>3.9</sup> .0 <sup>5.8</sup> decane) and hexachloroethane in screening-smoke compositions with respect to smoke volume, burning time, storage stability, and toxicity. Toxicity data	LINIOI ACCIPIED
	are included.	UNCLASSIFIED

AD Accession No.	UNCLASSIFIED  1. Smokescreens
Weapons Research Division, U. S. Army Chemical Research and Development Laboratories, Army Chemical Center, Maryland	2. HC Smokes 3. Pyrotechnics
COMPARISON OF DECHLORANE AND HEXACHLORO- ETHANE IN SMOKESCREEN COMPOSITIONS Woodrow W. Reaves and Kenneth G. Carlon	Dechlorane     Toxicity, Dechlorane
CRDLSP 1-27, August 1961 Task 4C30-07-007-03, UNCLASSIFIED REPORT	
This report describes a comparison study between Dechlorane (perchloropentacyclo 5.2 1.0 <sup>2.6</sup> .0 <sup>3.9</sup> .0 <sup>5.8</sup> decane) and hexachloroethane in screening-smoke compositions with respect to smoke volume, burning time, storage stability, and toxicity. Toxicity data are included.	UNCLASSIFIED
AD Accession No.	UNCLASSIFIED  1. Smokescreens
Weapons Research Division, U. S. Army Chemical Research and Development Laboratories, Army Chemical Center, Maryland	2. HC Smokes 3. Pyrotechnics
COMPARISON OF DECHLORANE AND HEXACHLORO- ETHANE IN SMOKESCREEN COMPOSITIONS	,
Woodrow W. Reaves and Kenneth G. Carlon  CRDLSP 1-27, August 1961  Task 4C30-07-007-03, UNCLASSIFIED REPORT	5. Toxicity, Dechlorane
This report describes a comparison study between Dechlorane (perchloropentacyclo 5.21.02.6.03.9.05.8 decane) and hexachloroethane in screening-smoke compositions with respect to smoke volume, burning time, storage stability, and toxicity. Toxicity data are included.	UNCLASSIFIED
·	
AD Accession No.	UNCLASSIFIED  1. Smokescreens
Weapons Research Division, U. S. Army Chemical Research and Development Laboratories, Army Chemical Center, Maryland	HC Smokes     Pyrotechnics
COMPARISON OF DECHLORANE AND HE XACHLORO ETHANE IN SMOKESCREEN COMPOSITIONS Woodrow W. Reaves and Kenneth G. Carlon	- 4. Dechlorane 5. Toxicity, Dechlorane
CRDLSP 1-27, August 1961 Task 4C30-07-007-03, UNCLASSIFIED REPORT	
This report describes a comparison study between Dechlorane (perchloropentacyclo 5.21.02.6.03.9.05.8 decane) and hexachloroethane in screening-smoke compositions with respect to smoke volume, burning time, storage stability, and toxicity. Toxicity data are included.	UNCLASSIFIED

١,	DAccession No	UNCLASSIFIED  1. Smokescreens
Re	eapons Research Division, U. S. Army Chemical esearch and Development Laboratories, Army hemical Center, Maryland	2. HC Smokes 3. Pyrotechnics
E	OMPARISON OF DECHLORANE AND HEXACHLORO- THANE IN SMOKESCREEN COMPOSITIONS codrow W. Reaves and Kenneth G. Carlon	<ol> <li>Dechlorane</li> <li>Toxicity, Dechlorane</li> </ol>
	RDLSP 1-27, August 1961 ask 4C30-07-007-03, UNCLASSIFIED REPORT	
de co tir	nis report describes a comparison study between echlorane (perchloropentacyclo 5.2 1.0 <sup>2.6</sup> .0 <sup>3.9</sup> .0 <sup>5.8</sup> scane) and hexachloroethane in screening-smoke empositions with respect to smoke volume, burning me, storage stability, and toxicity. Toxicity datage included.	UNCLASSIFIED
<b>-</b>		
AI	Accession No.	UNCLASSIFIED 1. Smokescreens
	eapons Research Division, U. S. Army Chemical	2. HC Smokes
Cł	nemical Center, Maryland	3. Pyrotechnics
	OMPARISON OF DECHLORANE AND HEXACHLORO- THANE IN SMOKESCREEN COMPOSITIONS	4. Dechlorane
	oodrow W. Reaves and Kenneth G. Carlon	5. Toxicity, Dechlorane
	RDLSP 1-27, August 1961 ask 4C30-07-007-03, UNCLASSIFIED REPORT	
de co tin	nis report describes a comparison study between echlorane (perchloropentacyclo 5.2 1.0 <sup>2.6</sup> .0 <sup>3.9</sup> .0 <sup>5.8</sup> cane) and hexachloroethane in screening-smoke mpositions with respect to smoke volume, burning ne, storage stability, and toxicity. Toxicity data e included.	UNCLASSIFIED
+ -		
A	Accession No	UNCLASSIFIED
	eapons Research Division, U. S. Army Chemical	HC Smokes
	search and Development Laboratories, Army semical Center, Maryland	3 Pyrotechnics
	COMPARISON OF DECHLORANE AND HE XACHLORO- ETHANE IN SMOKESCREEN COMPOSITIONS	d. Dechlorane
W	podrow W. Reaves and Kenneth G. Carlon	5. Toxicity, Dechlorane
	RDLSP 1-27, August 1961 sk 4C30-07-007-03, UNCLASSIFIED REPORT	
de de tin	tis report describes a comparison study between schlorane (perchloropentacyclo 5.21.02.6.03.9.05.8 cane) and hexachloroethane in screening-smoke mpositions with respect to smoke volume, burning ne, storage stability, and toxicity. Toxicity data e included.	UNCLASSIFIED